

Planning Report 2022-35: Severance Report E65-22 –
Comments to the County of Elgin

Appendix Two: Severance Application E65-22 Conditions

Severance Application E65-22 Conditions:

1. That the Applicant meet all the requirements, financial and otherwise of the Municipality, to the satisfaction and clearance of the Municipality.
2. That the Applicant provides a description of the lands to be severed which can be registered in the Land Registry Office, to the satisfaction and clearance of the Municipality.
3. That the Applicant's Solicitor provides an undertaking to the Municipality, to provide a copy of the registered deed for the severed parcel once the transaction has occurred to the Municipality.
4. That the Applicant have a septic system assessment be completed by a qualified individual, on the proposed severed parcel to ensure that the lands are suitable for a privately owned and operated septic system, to the satisfaction and clearance of the Municipality.
5. That the Applicant have a drainage reapportionment completed (if required) pursuant to the *Drainage Act*, to the satisfaction and clearance of the Municipality.
6. That prior the final approval of the County, the County is advised in writing by the Municipality how the above-noted conditions have been satisfied.
7. That all conditions noted above shall be fulfilled within two years of the Notice of Decision, so that the County of Elgin is authorized to issue the Certificate of Consent pursuant to Section 53(42) of the *Planning Act*.